

8 Port unmanaged Gigabit Switch 4 PoE Ports IP20 metal

8 Port Unmanaged IP20 PoE Gigabit Switch 24 V power supply 4 PoE ports

Link to Product

Illustration



Product may differ from Image







Commercial data	
ECLASS-6.1	19170106
ECLASS-7.0	19170106
ECLASS-8.0	19170106
ECLASS-9.0	19170402
ECLASS-10.1	19170402
ECLASS-11.1	19170402
ECLASS-12.0	19170402
customs tariff number	85176200
GTIN	4048879845090
Packaging unit	1
Electrical data Supply	
Operating voltage DC min.	12 V
Operating voltage DC max.	57 V
PoE voltage amplifier	yes
Industrial communication	
Data transmission rate max.	1000 MBit/s
Industrial communication Ethernet f	unctionality
Auto-crossover	yes
Auto-negotiation	yes
duplex	Full duplex
Switch type	unmanaged
VLAN unmanaged (IEEE 802.1Q)	no

The information in this Product-PDF has been compiled with the utmost care.
Liability for the correctness completeness and topicality of the information is restricted to gross negligence. Version: 2024-05-06



stay connected

Diagnostics		
Alarm contact	yes	
Diagnostic	No voltage	
LED display	Ethernet connection/data traffic	
Device protection Electrical		
Degree of protection (EN IEC 60529)	IP20	
Mechanical data Material data		
Color housing	black	
Material housing	Metal	
Mechanical data Mounting data	···• ····	
	geechneent	
Mounting method Suitable for mounting type	geschnappt Mounting rail TH35, (EN 60715)	
Height	145 mm	
Width	57,8 mm	
Depth	113 mm	
Environmental characteristics Climat		
	-40 °C	
Operating temperature min.	-40 °C 70 °C	
Operating temperature max. Storage temperature min.	-40 °C	
Storage temperature max.	85 °C	
	0.5 0	
Connection type 2		
Connection type 1	8	
Connection type 2	X1	
Family construction form Gender	RJ45	
Color contact carrier	female black	
No. of poles	8	
PIN 1	TD +	
PIN 2	TD -	
PIN 3	RD +	
PIN 4	n.c.	
PIN 5	n.c.	
PIN 6	RD -	
PIN 7	n.c.	
PIN 8	n.c.	
Connection	Plug-in terminals RK	
Family construction form	terminal	
Gender	male	
Color contact carrier	green	
No. of poles	7	
PIN 1	FE	
PIN 2	V1-	
PIN 3	V1+	
PIN 4	Relay (NO)	
PIN 5	Relay (NO)	
PIN 6	V 2 -	
PIN 7	V 2 +	